2-5000-15 Section R Page 1

# **Bypass Door Hardware**

**JOHN** 



2- Door Sliding Bypass



## **2222 Series Bypass Door Hardware Set**

Head Jamb w/ Integrated Aluminum Track

- > Replaces the regular head jamb keeps the bypass doors the same trim height as swinging doors.
- Sets include all necessary hardware, less doors.



### **Set contents:**

- (1) 2222 Track Length. Can be cut down to fit any smaller size opening.
- (4) 2228 Adjustable Twin Wheel Hangers. Accommodate 1-3/8" doors up to 75lbs.
- (1) 2135 Door Guide. Adjusts laterally for quick and accurate plumb. Swiveling guide posts.
- (2) 3/4" US3 Flush Pulls

# 2200 Series Bypass Door Hardware Set

Side Mount Aluminum Bypass Track

- ➤ Reversible hangers accept either 3/4" or 1-3/8" thick doors up to 50lbs.
- Sets include all necessary hardware, less doors.



#### **Set contents:**

- (1) 2200 Track Length. Can be cut down to fit any smaller size opening.
- (2) 2238 Adjustable Single Wheel Hangers
- (2) 2216 Adjustable Single Wheel Hangers
- (1) 2135 Door Guide. Adjusts laterally for quick and accurate plumb. Swiveling guide posts.
- (2) 3/4" US3 Flush Pulls

Complete Sets		2222		2200	
Width	Requires	Item#	List	Item #	List
48"	(2) 2'0" x 6'8" Doors	482222	39.72	482200	21.34
60"	(2) 2'6" x 6'8" Doors	602222	46.64	602200	24.36
72"	(2) 3'0" x 6'8" Doors	722222	53.48	722200	27.52


## **Components**

2222 Hardware Pack	Complete Set, Minus Track	2222HDW	12.62
2135 Door Guide	Adjustable Door Guide	2135	2.80



# **Folding Door Hardware**

**JOHN** 





# 1700 Series Folding Door System

Smooth operating, non-binding top hung bi-fold hardware. Surface mounted pivots and guides. Shock absorbing hinges self locate and automatically align doors. Four way adjustable bottom pivot bracket allows for out of square openings and slight door warpage.

- Designed for use with solid core wood door panels.
- Sets include all necessary hardware, less doors.





#### Set contents:

#### 2-Door

- (1) 1700 Brown Aluminum Track Length. Can be cut down to fit any smaller size opening.
- (1) 1701 Top Pivot & Lock
- (1) 1705 Door Guide
- (1) 1713 Track Stop
- (3) 1703 Non-Mortise Shock Absorbing Hinges
- (1) 1706 Bottom Pivot
- (1) 1711 Adjustable Pivot Bracket
- (1) 1808 2 Door Aligner
- (1) 33 1-3/4" Brown Door Knob
- (1) 1712 Adjustment Wrench

#### 4-Door

Same contents as the 2-Door set with double the quantities, except for Track Length and Adjustment Wrench (1 each)

<b>Complete Sets</b>		1700		
Width	Requires	Item#	List	
36"	(2) 1'6" x 6'8" Doors	361700	21.86	
48"	(4) 1'0" x 6'8" Doors	481700	37.16	
60"	(4) 1'3" x 6'8" Doors	601700	39.08	
72"	(4) 1'6" x 6'8" Doors	721700	41.38	



2-5000-15 Section R
Page 3

# **Pocket Door Hardware**

**JOHN** 





### 1500 Series Pocket Door Frames - KD

Easily assembled, structurally strong pocket door frame designed for fast installation in standard 2 x 4 timber or steel frame stud walls typically sheeted with drywall. Versatile frame can be adapted for use in thicker walls or cut down to accept any smaller size door. Removable aluminum track with low friction convex track rails, guaranteed jump proof smooth rolling tricycle hangers, rust resistant zinc plated steel reinforced timber split studs and self adjusting floor anchors.

- For 1-1/8" to 1-3/4" doors (1-3/4" doors require adapter #1575 below).
- Converging doors require 2 frame kits and a converging kit (#1555 below).
- Max door weight 125lbs. each.

Door Size	Item #	List	
2′0″ x 6′8″	20FRAME	115.54	
*2′6″ x 6′8″	26FRAME	120.50	
2'8" x 6'8"	28FRAME	121.20	
*3′0″ x 6′8″	30FRAME	124.68	
*3'0" x 8'0"	308FRAME	177.08	

<sup>\*</sup>All Purpose - marked for cutting to any shorter length



# **Rough Opening Size Chart**

For 1-1/8 to 1-3/4**	Rough Opening	
Doors	Width x Height	
2'0" x 6'8"	49" x 84-1/2"	
2'4" x 6'8"	57" x 84-1/2"	
*2′6″ x 6′8″	61" x 84-1/2"	
2'8" x 6'8"	65" x 84-1/2"	
*3′0″ x 6′8″	73" x 84-1/2"	

<sup>\*</sup> All purpose-marked for cutting to other standard widths

### 1500 Series Hardware

Description	Item #	List
Adapter Kit - for 1-3/4" doors	1575	6.86
Converging Kit - for joining 2 frames	1555	7.88
Standard Hanger - 125lb. door capacity - 2 per door required	1120	8.48
Ball Bearing Hanger - 200lb. door capacity - 2 per door required	1125	15.00
Door Guide	1550	.46
Edge Pull - bright brass finish	150	5.82
Dummy Pull Set - for 1-3/8" door - bright brass finish	213	8.76
Door Lock - for 1-3/8" door - bright brass finish	1521	24.78
Parts Bag - 2 Hangers, 1 Guide, 1 Stop, 1 Wrench	1500	11.24

NOTE: Other **Johnson Hardware** items that are not in stock are available on a direct shipment basis. See our Salesman or contact our office.



<sup>\*\* 1575</sup> ppk3 1-3/4 adaptor required