2-3000-15 Section G
Page 1

Accordion Doors



CUSTOM SIZES OUR SPECIALTY

HOW TO ORDER


- 1) WIDTH: Finished wall to wall (or jamb) in feet and inches.
- **2) HEIGHT:** Finished ceiling to finished floor or top of carpet in feet and inches (add 3/4" for recessed track)
- 3) SERIES: List numbers of the series to be ordered.
- 4) PANEL: List wood specie or vinyl-lam color.
- 5) OPTIONS: List options if required.
 - ➤ All pricing in the current Woodfold catalog carries the base discount.
 - All freight charges are included in the price.
 - Most special options are available only on the 240 Series and higher.
 - Please contact our office if you need assistance on special quotes. Always call for lead times!





Bookcase Door System

WOODFOLD M.



- Available in two widths, 54" or 66".
- Constructed entirely from durable 3/4" ApplePly ™ that supports loads up to 500 lbs.
- Available in hardwood veneers (Oak, Cherry and Maple) and environmentally safe clear and customized stain and paint finishes or unfinished.
- Fixed shelves at the center and bottom with four adjustable shelves.
- Superior strength from a piano hinge that runs the entire length of the bookcase.
- Heavy-duty steel roller system with anti-binding block for incredible longevity and smooth operation.
- Steel upper wall guide with multi-position pre-drilled mounting holes.
- Exclusive hardware, adjustable for either left or right, two-position pivot.
- Ease-of-entry with strong, low profile, steel threshold.
- Valance matched to your chosen bookcase finish.



2-3000-15 Section G
Page 3

Fireplace Mantles



Premier Mantles offers a wide variety of sizes and styles of fireplace mantles. From something for the budget-minded, do-it-your-selfer to sophisticatedly elegant, you're sure to find just the right mantle to suit your taste and your checkbook.

Please see the enclosed brochures and call our office for details on the huge variety of special order mantles available.



Please call our office for a quote at (800) 938-7948 or (757) 625-2556

