

Interior Door Units

Standard Unit Specifications


- Jamb: Primed Fingerjoint, 4-5/8" Adjustable
- Hinges: 3-1/2" x 3-1/2" Ball Bearing (3/door)
- Bore: 2-1/8" Face, 2-3/8" Backset
- Rough opening: Door slab width plus 2-1/2"
Door slab height plus 2-1/2"

Split Jamb Dimensions



- 3-5/8" (A/B) - 3-1/4" to 4"
- 4-5/8" (A/C) - 4-1/4" to 4-7/8"
- 5-1/4" (A/D) - 5" to 5-1/4"
- 6-5/8" (A/E) - 6-1/16" to 6-3/4"

Door Handing Guide



- When the door opens toward you and the knob is on the LEFT it is a LEFT HAND opening
- When the door opens toward you and the knob is on the RIGHT it is a RIGHT HAND opening

This description of handing applies to all the door units we build, both inswing and outswing.

When ordering, please specify:

- 1) Door: Single or Double, Size
- 2) Left or Right Hand
- 3) Bore or No Bore
- 4) Hinge Finish
- 5) Jamb: Split or Flat, Clear or FJ, Size
- 6) Casing: Clear or FJ, Pattern
- 7) Special Options

Pre-Hung Door Units

Single	Page C2-3
Double	Page C4-5
Bypass	Page C6
Special 6'8"	Page C6
7'0" & 8'0"	Page C6
Access	Page C10

Interior Door Units

IDU

Single Door Units

4-5/8" Primed FJ Split Jamb

NO CASING

SPECIFY: Handing, Hinge Finish, Bore



PINE DOOR UNITS

Size	Sgl Hip 6 Panel WP66R	Dbl Hip 6 Panel WPDH66R	Primed Louver/Louver ND730	Primed Plantation Louver/Louver	French P1505/ 1510/1515	1501 Clear	1501 Frosted
1'0" to 1'4" x 6'8"	—	—	—	—	—	—	—
1'6" x 6'8"	203.54	257.62	205.00	263.82	238.08	—	—
1'8" x 6'8"	214.46	—	—	—	—	—	—
2'0" x 6'8"	219.14	276.88	250.02	271.22	244.38	242.64	276.60
2'4" x 6'8"	231.26	293.76	283.58	317.12	—	—	—
2'6" x 6'8"	240.48	302.58	283.58	299.36	269.90	265.68	319.22
2'8" x 6'8"	244.56	314.70	295.00	335.52	277.42	276.82	332.66
3'0" x 6'8"	258.32	332.78	306.14	332.58	295.72	292.42	363.04

FIR DOOR UNITS

PRIMED DOOR UNITS

Size	6 Panel F-66	5 Panel F-55	2 Panel F-82	Size	French 1510/1515P	2 Panel Flat FP22
1'0" to 1'4" x 6'8"	439.75	452.13	—	2'0" x 6'8"	264.34	235.96
1'6" x 6'8"	439.75	452.13	492.35	2'4" x 6'8"	—	254.74
1'8" x 6'8"	439.75	452.13	492.35	2'6" x 6'8"	300.62	264.38
2'0" x 6'8"	454.15	467.85	514.00	2'8" x 6'8"	305.52	274.10
2'4" x 6'8"	461.35	475.85	541.20	3'0" x 6'8"	310.32	293.82
2'6" x 6'8"	461.35	475.85	541.20			
2'8" x 6'8"	461.35	475.85	541.20			
3'0" x 6'8"	465.00	483.60	568.75			

Options & Adders

Casing	Page C7
Hinges	Page C8
Jamb	Page C8
Other Options	Page C8

Shaded Items = Special Order



Effective 06/01/17
Cancels 03/01/17

Interior Door Units

IDU



Single Door Units

4-5/8" Primed FJ Split Jamb

NO CASING

SPECIFY: Handing, Hinge Finish, Bore

FLUSH DOOR UNITS

Size	Primed Hollow Core Hardboard	Hollow Core Lauan	Hollow Core Birch	Particle Core Lauan	Particle Core Birch	Wood Core Birch
1'0" to 1'4" x 6'8"	—	120.72	133.14	—	—	—
1'6" x 6'8"	108.42	120.72	133.14	—	185.86	—
1'8" x 6'8"	—	131.36	145.42	—	—	—
2'0" x 6'8"	—	131.36	145.42	—	220.66	398.14
2'4" x 6'8"	123.00	138.18	153.32	—	227.98	405.46
2'6" x 6'8"	127.68	141.48	157.36	229.46	240.78	418.26
2'8" x 6'8"	—	145.38	161.54	237.44	250.22	427.70
3'0" x 6'8"	—	151.74	169.20	256.10	269.00	446.48

MOLDED DOOR UNITS

Size	Hollow Core Raised Panel	Solid Core Raised Panel	Hollow Core Flat Panel	Solid Core Flat Panel
1'0" to 1'4" x 6'8"	129.00	—	—	224.16
1'6" x 6'8"	129.00	205.50	150.56	224.16
1'8" x 6'8"	129.00	220.76	160.68	242.24
2'0" x 6'8"	132.02	220.76	160.68	242.24
2'4" x 6'8"	136.10	229.16	166.30	252.30
2'6" x 6'8"	139.70	234.22	169.68	258.36
2'8" x 6'8"	144.20	237.58	171.92	262.34
2'10" x 6'8"	146.36	245.28	176.98	271.40
3'0" x 6'8"	148.56	245.28	176.98	271.40

Options & Adders

Casing	Page C7	Hinges	Page C8
Jamb	Page C8	Other Options	Page C8



Interior Door Units

DIDU

Double Door Units

4-5/8" Primed FJ Split Jamb

NO CASING

SPECIFY: Handing, Hinge Finish, Bore



PINE DOOR UNITS

Size	Sgl Hip 6 Panel WP66R	Dbl Hip 6 Panel WP66DHR	Primed Louver/Louwer ND730	Primed Plantation Louwer/Louwer	French P1505/1510/1515	P1501 Clear	P1501 Frosted
2'8" x 6'8"	383.38	—	—	—	—	—	—
3'0" x 6'8"	383.38	491.54	386.30	503.94	452.46	—	—
3'4" x 6'8"	405.22	—	—	—	—	—	—
4'0" x 6'8"	414.58	530.06	476.34	518.74	465.06	461.58	529.50
4'8" x 6'8"	438.82	563.82	543.46	610.54	—	—	—
5'0" x 6'8"	457.26	581.46	543.46	575.02	516.10	507.66	614.74
5'4" x 6'8"	465.42	605.70	566.30	647.34	531.14	529.94	641.62
6'0" x 6'8"	492.94	641.86	588.58	641.46	567.74	561.14	702.38

FIR DOOR UNITS

PRIMED DOOR UNITS

Size	6 Panel F-66	5 Panel F-55	2 Panel F-82	Size	French 1510/1515P	2 Panel Flat FP22
2'8" x 6'8"	855.79	—	—	4'0" x 6'8"	504.98	448.22
3'0" x 6'8"	855.79	880.55	961.05	4'8" x 6'8"	—	485.78
3'4" x 6'8"	855.79	—	—	5'0" x 6'8"	577.54	505.06
4'0" x 6'8"	884.60	912.00	1004.30	5'4" x 6'8"	587.34	524.50
4'8" x 6'8"	898.95	928.00	1058.75	6'0" x 6'8"	596.94	563.94
5'0" x 6'8"	898.95	928.00	1058.75			
5'4" x 6'8"	898.95	928.00	1058.75			
6'0" x 6'8"	906.25	943.35	1113.80			

Shaded Items = Special Order

Interior Door Units

DIDU

Double Door Units

4-5/8" Primed FJ Split Jamb

NO CASING

SPECIFY: Handing, Hinge Finish, Bore



FLUSH DOOR UNITS

Size	Hollow Core Lauan	Hollow Core Birch	Particle Core Lauan	Particle Core Birch	Wood Core Birch
2'8" x 6'8"	217.74	242.58	—	—	—
3'0" x 6'8"	217.74	242.58	—	348.02	—
3'4" x 6'8"	239.02	267.14	—	—	—
4'0" x 6'8"	239.02	267.14	—	417.62	772.58
4'8" x 6'8"	252.66	282.94	—	432.26	787.22
5'0" x 6'8"	259.26	291.02	435.22	457.86	812.82
5'4" x 6'8"	267.06	299.38	451.18	476.74	831.70
6'0" x 6'8"	279.78	314.70	488.50	514.30	869.26

MOLDED DOOR UNITS

Size	Hollow Core Raised Panel	Solid Core Raised Panel	Hollow Core Flat Panel	Solid Core Flat Panel
2'8" x 6'8"	234.30	—	—	424.62
3'0" x 6'8"	234.30	387.30	277.42	424.62
3'4" x 6'8"	234.30	417.82	297.66	460.78
4'0" x 6'8"	240.34	417.82	297.66	460.78
4'8" x 6'8"	248.50	434.62	308.90	480.90
5'0" x 6'8"	255.70	444.72	315.66	493.02
5'4" x 6'8"	264.70	451.46	320.14	500.98
6'0" x 6'8"	273.42	466.86	330.26	519.10

Options & Adders

Casing	Page C7
Hinges	Page C8
Jambs	Page C8
Astragals	Page C8
Other Options	Page C8

Interior Door Units

IDU/DIDU

Unlisted 6'8" Height Door Units

4-5/8" Split Jamb • Assembled w/ 3 Hinges Applied

To price a 6'8" unit not listed on pages C2-5:

- Add cost of door(s) to the assembled jamb price below
- See page C7 for casing adders and page C8 for options

		Fingerjoint	Clear
Single	1'0" to 3'0"	55.70	83.90
	3'0" to 6'0"	87.70	121.50

IDU/DIDU

Special Height Door Units

4-5/8" Clear Flat Jamb • 936 Stop • Hinges Applied*

To price a 7'0" or 8'0" unit:

- Add cost of door(s) to the assembled jamb price below
- Call for pricing on options

		Fingerjoint	Clear
7'0" Height	Single	72.00	111.00
	Double	103.70	148.20
8'0" Height	Single	72.00	111.00
	Double	119.10	185.00

*7'0" door units have 3 hinges per slab

8'0" door units have 4 hinges per slab

BPU

Bypass Door Units

4-5/8" Flat Jamb • Johnson Hardware Included












To price a bypass unit:

- Add cost of doors from section D to the assembled jamb price below
- See page C7 for casing adders



	Fingerjoint	Clear
4'0" x 6'8"	83.80	91.00
5'0" x 6'8"	91.90	97.80
6'0" x 6'8"	97.40	106.20

Casing

2-1/4"	2-1/2"	3-1/2"
 329 FJ, CLR	 351 CLR	 Adams FJ
 356 FJ		 412 FJ
 366 FJ, CLR	3-1/4"	 444 FJ, CLR
 376 FJ, CLR	 L351 CLR	
 442 FJ	 445 FJ, CLR	
Availability: FJ = Fingerjoint CLR = Clear		Drawings not to scale For reference only

Add the cost below to the unit or cased opening price

Pricing applies to all units and cased openings in section C,
EXCEPT for special height units over 6'8"

	2-1/4" FJ	2-1/4" Clear	2-1/2" Clear	3-1/4" FJ	3-1/4" Clear	Adams FJ	412 FJ	444 FJ	444 Clear
Single/ 1'0" to 3'0"	27.00	33.20	41.80	35.80	48.60	77.80	54.00	35.80	58.30
Double/ Up to 6'0"	35.80	43.10	53.40	46.30	61.70	91.70	63.90	46.30	73.20

Interior Door Unit Options

Options apply to units on pages C2-5 and unlisted 6'8" height units.



Hinge Options	Stock hinge finishes shown above	Per Door
	(3) 3-1/2" solid brass hinges	31.50
	(2) double acting hinges (weight limit 65 lbs)	181.60
	(3) double acting hinges (weight limit 93 lbs)	274.80
	Add or deduct (1) standard hinge (+/-)	1.10

Jamb Options Adders	Per Unit	
	4-5/8" split jamb - clear pine	28.20
	4-5/8" flat jamb w/ stop (878/936) applied - clear pine	11.70
	4-5/8" flat jamb w/ stop (878/936) applied - FJ primed	4.30
	Split jamb up to 5-1/4" - FJ primed	4.00
	Flat jamb up to 5-1/4" - clear pine	44.90
	Split jamb up to 6-9/16" - FJ primed	13.60
	Flat jamb up to 6-9/16" - clear pine	43.90
	Flat jamb up to 10"	190.50
Rip down jamb to intermediate size	.RDJ	10.00


Astragals	Clear Pine T-astragal	29.70
	T-astragal w/ flush head bolt - 6'8" unit	66.80
	T-astragal w/ flush bolts head & foot - 7'0" unit	75.30
	T-astragal w/ flush bolts head & foot - 8'0" unit	85.00

Standard Flush Bolt Finishes		
BB	US3	Bright Brass
CB	US10BD	Dark Colonial Bronze
DC	US26D	Dull Chrome

Other Options	Cut down door height, per door	.CD	55.55
	Cut casing for plinth blocks	.CPB	5.80
	Protective door sleeves	.CTN	7.00
	Install ball catches (2)	.BCI	16.50
	Install 1-3/4" door on an interior flat jamb w/ stop		10.00

Interior Door Jambs & Astragals

JARK



Flat Door Jambs - Knocked Down

Clear or Veneered Pine • Kerfed back • Eased edges

Door Size	Veneered 4-5/8"	Clear 5-1/4"	Clear 6-9/16"
2'8" x 6'8"	35.90 (28458VPSET)	59.40 (28514APSET)	—
5'0" x 6'8"	43.00 (50458VPSET)	68.10 (50514APSET)	—
6'8" Sides Only	28.70/pair (6849161PCV)	47.60 (68514AP)	54.60/pair (686916AP)

CO


Cased Openings - 4-5/8" Flat Jambs

➤ Add casing page C7

Door Size	Knocked Down		Assembled	
	Primed FJ	Veneered	Primed FJ	Veneered
2'0" to 3'0" x 6'8"	37.00	41.00	41.00	45.00
3'4" to 6'0" x 6'8"	44.00	48.00	48.00	52.00


JBEX

T-Astragals - Solid Pine



WM1305

Size	Description	Item #	List
6'8", 1-3/8"	Routed w/ Head Bolt	68TAIQ	65.10
7'0", 1-3/8"	Routed w/ Head & Foot Bolts	70TAIQ	77.40
8'0", 1-3/8"	Routed w/ Head & Foot Bolts	80TAIQ	84.70
7'0", 1-3/8"	WM1305	70TAI	21.50
7'0", 1-3/4"	WM1300	70TA	21.50



WM1300

Available Flush Bolt Finishes		
BB	US3	Bright Brass
CB	US10BD	Dark Colonial Bronze
DC	US26D	Dull Chrome

Cut Down Access Door Units

IDU



- Available in flush and molded designs*
- Optional picture framed casing & weather-stripped stop
- Your choice of casing
- No bore

*Molded door slabs have height limitations, depending on the style and construction

- Please call for size limitations on specific doors
- Cut-down hollow core doors DO NOT have a lock block
- Picture framed casing 1 side - available at no extra charge

Unit Pricing			
Base	Price of standard single unit	.PFADHC	Page C2-3
			140.00 Hollow Core 108.00 Solid Core
+	Cut down charge	.PFADSC	
+	Casing adder		Page C7
+	Optional weatherstripped stop (head, foot, and side jambs)	.WSSTOP	35.00
=	Total Unit List Price		